Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Hardy Herbaceous, Rock Garden, Native Plants and Rare Shrubs

NIK-NAR NURSERU G. LATTA CLEMENT

1934

BILTMORE STATION
ASHEVILLE, NORTH CAROLINA

in the state of th

II. S. Department of Agrangers

PLEASE READ

All previous prices cancelled.

No single plant sold for less than 25c, 6 at one dozen rate. If interested in large quantities write for special prices.

Cash must accompany all orders unless credit has been established.

All plants are packed and delivered F. O. B. Biltmore Station; Asheville, N. C.

Our plants as a rule are field grown; however a few are shipped from pots for best results. Our native plants are also nursery grown. We reserve the right to ship collected plants should our supply be exhausted.

We guarantee all plants to be in a healthy condition but cannot be responsible for cultural results. We use the utmost care in shipping, but should an error be made, please notify us at once and we will be responsible to the extent of the item, either in replacement of plants or refunding the money. We list a greater variety of Native Plants than any dealer from this section. Inquiries for rare and unusual plants are invited.

CLIMATE—Our climate is very trying on many plants as we have very little snow. The constant freezing and thawing is worse than a steady cold, even though more severe. Our temperature varies from 97 degrees to zero. All plants listed are hardy here.

SEEDS—If interested in obtaining seeds from us please place your order early and we will endeavor to secure them for you in time for fall delivery. 25c per pk.

WE CO-OPERATE WITH THE STATE CHAIR-MAN OF THE CONSERVATION DEPARTMENT OF THE GARDEN CLUBS OF AMERICA AND HAVE HER APPROVAL OF OUR COLLECTING METHODS.

We are located one mile from Biltmore Station, Asheville, N. C. Visitors are welcome at any time.

NIK-NAR NURSERY

NO SINGLE PLANT SOLD FOR LESS THAN 25c.

ACHILLEA (Wilfeil on Vanneyr) Americail	3	12
ACHILLEA (Milfoil or Yarrow)—Any soil, full sun.		
philipendula—Heads of bright yellow,		
3 ft\$	60 \$	2.00
R millefolium roseum—Rose flowers, 12	.υυ φ	2.00
in	.60	2.00
R ptarmica—Boule de Neige—Double	.00	2.00
white, 12 in	.60	2.00
R tomentosa—Bright yellow, 6 in	.60	2.00
	.00	2.00
ACONITUM (Monkshood)—Blue flowers in late summer. Prefer some shade.		
fischeri—Dark blue, 4 ft	.75	2.50
uncinatum—Native—Climbing, 5 ft. to	:	-
8 ft	.75	2.50
ACORUS CALAMUS—Sweet Flag—Native.		-
Handsome foliage plants for bogs		
and pools	.60	2.50
ACTEA-Baneberry — Excellent woodland		
plants.	•	
alba—Native—Showy white fruit in		
fall, 3 ft	.75	2.50
rubra—Native—Bright red berries, 3 ft.	.75	2.50
	.10	2.00
AETHIONEMA (Persian Candytuft) —	•	
Handsome shrubby plants with		
glaucous blue foliage. Full sun.		
R persicum—Clusters of soft pink in	-	050
• •	.75	.250
R pulchellum—A taller variety. Pink,		0.50
8 in	.75	2.50
R schistosum—More upright in growth.		0.50
·	.75	2.50
AGROSTEMMA CORONARIA (Mullen		
Pink)—Soft grey foliage. Red flow-		
ers, 2 ft	.60	2.00
AJUGA (Bugleweed) — Excellent ground		
cover in part shade.		
R genevensis — Bronze foliage, blue		
flowers, 6 in	.75	2.50
R reptans—Green foliage. Bright blue		
flowers, 6 in	.60	2.00
ALLIUM (Onions)—Excellent for garden	•	
subjects. These do not become a	,	
menace.		
R allegheniense—Native Unbels of deep	•	
red flowers, 12 in	.75	2.50
cernuum—Native—Pink flowers, 12-18		
in	.60	2.00
cernuum alba—Native—White form of		
above	.60	2.00

	3	12
R ALSINE PUBERA (Stitchwort) Na	a -	
tive—Excellent woodland or shad	ly	
rock garden plant, covered in whi	te	
stars. 6 in	7.5	2.50
ALYSSUM (Madwort)-One of our be		
yellow rock garden plants for sunr		
situation.	~ <i>J</i>	
R argenteum—Grey foliage 12 in	75	2.50
R citrinum—Mists of soft yellow blow		2.30
soms, 12 in		2.50
R rostratum—Shrubby prostrate plant		2.50
problem proble		0.53
8 in		2.50
R saxatile compactum—A real "bask		0 = 0
of gold"		2.50
R stylosum—A sheet of bright yello		
in spring		2.50
R serpyllifolium — Tiny plants wi		
silver foliage. Very choice		2.50
AMSONIA—Any soil. Excellent foliage	ge	
all summer.		
amsonia—Native—Clusters of sky blu	ue	
flowers. 2 ft	75	2.50
tabernaemontana—Similar to above by	ut	
smaller foliage		2.50
ANCHUSA-Coarse foliage. Sun or pa		
shade.		
italica—Intense blue flowers, 4 ft	75	2.50
myosotidiflora — Forget - me - not lil		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
flowers. 12 in		2.50
ANTENNARIA—Pussy toes. Sun.	,10	2.00
R dioica—Silvery foliage, pink flower	r e	
3 in		2.00
ANEMONE (Windflower)—Japonica type		2.00
One of the handsomest of fall bloom		
ing plants. Bright green foliage ar		-
waxy blossoms on slender stem	ıs.	
Unsurpassed for cutting.	n r	0.50
japonica—Alice—Rose pink		2.50
max voger—Double ro		
pink		2.50
Richard Anrends—Single la		
ender pink		2.50
" Rubra—Rosy red		2.50
" Queen Charlotte — Sem		
double, pink	75	2.50
" Whirlwind—Pure white	75	2.50
R hupensis—Mauve rose. Early		2.50
R pulsatilla—Downy foliage. Viol		
cups. 12 in	75	2.50
R quinquefolia-Native-White, 4 in	75	2.50
R trifolia-Native-White, 6 in	75	2.50
virginiana—Native — Greenish-white,		
ft		2.00
ANEMONELLA (Rue Anemone) - Sma		
plants of great beauty with thali		
trum-like foliage and tuberous root		

	3	12
R thalictroides — Native — Clusters of		
white flowers, 4 in	.50	1.50
ANTHEMIS (Marguerite) — Dark green feathery foliage. Blooms all summer		
if dead flowers are kept cut.		
kelways yellow—Bright yellow daisies,		
2 ft	.60	2.00
AQUILEGIA (Columbine)—One of the best		
spring blooming plants. Does well in part shade.		b.
canadensis—Native—Red and yellow	.60	2.00
chrysantha—Long spurred yellow	.75	2.50
R flabellata—Pure white, 8 in Dobbies hybrids—Beautiful shades	.75	2.50 2.50
long spurred—Pink shades	.75 .75	2.50
ARABIS (Rock Cress)—Sunny situations.		
R albida—Compact form, 6 in	.75	2.50
R alpina—White blooms, 6 in	.75	2.50
ARCITOSTAPHYLOS (Bear Berry) —		
Creeping evergreen plant. Excellent for rock work.		
R uva-ursi—Small cup shaped cream		
colored flowers followed by bright		•
red berries. Very beautiful. Each		
50c.		
ARMERIA (Sea Pink or Thrift)—Grasslike		
foliage. Pink, blooms all summer. R alpina—Pink blooms, 12 in	.75	2.50
R laucheana—Rosy red blooms, 6 in		
ARENARIA (Sandwort)—Excellent grass-		
like plants for flagging.		0.00
R caespitosa—Tiny white blooms, 1 in. R groenlaudica—Native—Very fine	.60	2.00
foliage and showy white flowers.		
Excellent	.75	2.50
ARISMAEMA (Jack in the Pulpit)—Deep		
shade.		
R triphyllum — Native. Interesting blooms. Bright red berries in fall	.60	1.50
ARTEMEISIA—Good for cutting and dry-	•••	2100
ing.		
lactiflora—Cream panicles on 4 ft.		
plants	.60 .60	2.00 2.00
R stelleri—Feathery grey-green foliage,	.00	۵.00
12 in	.60	2.00
frigida—Feathery silver foliage on		
shrubby plant. The best, 35c each.		
ASARUM (Wild Ginger or Heart Leaves)— Deep loam and shade.		
R arifolium—Native. Handsome mar-		
bled leaves. Evergreen	.75	2.50
R canadense — Native — Large leaves.		9.00
Herbaceous	.60	2.00

	3	12
R shuttleworthii—Native. Handsome		
evergreen foliage	.75	2.50
Evergreen	.60	2.00
ASCLEPIAS (Butterfly-weed)—One of our		
handsomest and best plants for hot		
sun and summer bloom.		
3 ,	.75	2.50
incarnata—Native—Rose-pink flowers, 2	20	0.00
ft	.60	2.00
hypericum but has four petals in-		
stead of five.		
hypericoides—Sprawling plant 12-18 in.		
Bright yellow flowers	.75	2.50
ASPERULA (Woodruff) — Finely cut		
foliage. Some shade.		
R odorata—Fragrant white flowers, 6		
in	.75	2.50
ASPHODELUS (King's Spear) - Worth-		
while for its handsome blue-green		
foliage.		
luteus—Fragrant spikes of yellow lily-		
like blooms, 2 ft	.75	2.50
ASTERS—Daisy-like flowers for fall bloom.		
Native—In mixture for naturalizing	.50	1.50
R Mauve Cushion—Sheets of blooms		
one inch across in Sept., 6 in	.75	2.50
R alpinus—Large blue flowers with		
yellow centers, 8 in	.75	2.50
Climax—Pyramidal growth. Blue, 5 ft.	75	2.50
Mrs. Raynor—Rosy red, 3 ft	.75	2.50
Queen Mary—Large blue flowers, 3 ft.	.75	2.50
Sam Banham — Early. Semi - double,	75	2 50
white	.75	2.50
blue flowers, 18 in	.75	2.50
St. Egwin—Rosy-pink. Early, 2 ft	.75	2.50
Wonder of Straffa — Swiss novelty.	.10	2.00
Handsomest of all. Three inches		
across, blue, 2 ft	.75	2.50
ASTILBE—Part shade. Loamy soil.		
Betty Cuperus—White with pink center,		
5 ft	.75	2.59
biternata—Native—Panicles of creamy		
white flowers, 4 ft	.60	2.00
Etna—Clear pink, 2 ft	.75	2.50
Gladstone—Finest dwarf white	.75	2.50
Gruno—Graceful salmon-pink, 4 ft	.75	2.50
Queen Alexander—Light pink, 2 ft	.75	2.50
Rhineland—Crimson, shaded salmon, 2	PT P**	0.50
ft Down min's flowing	.75	2.50
tomentosa—Native. Rosy-pink flowers	.60	2.00
in summer Event for		2.00
AUBRETIA (Rock Cress)—Excellent for walls and sunny situations.		
wans and sunny situations.		

	3	12
R Graeca—Blue, very early, 4 in	.75	2.50
	.75	2.50
BAPTISIA (Wild Indigo)—Beautiful sprays		
of pea-shaped flowers in summer.		
Sun or part shade.		
australis—Native. Deep blue lupine-		
like spikes, 3 ft	.75	2.50
tinctoria—Native. Lemon yellow flowers,	••	2.00
3 ft	.60	2.00
BERGAMOT (Oswego Tea)—Showy plants of the mint family.		
didyma—Native. Cambridge scarlet, 2-		
4 ft	.60	2.00
fistulosa—Native Lavender flowers, 2	•00	2.00
ft	.60	2.00
BOCCONIA (Plume Poppy) — Handsome		•
plants for background.		
cordata—Creamy white panicles, 6-8		
ft	.75	2.50
BUDDLEA (Butterfly Bush)—Large shrubs		
which bloom all summer.		
farquhari—Purple racemes, 4 ft	.75	2.50
magnifica—Large lilac blossoms, 5 ft	.75	2.50
altinifolia—Perfectly hardy and ever- green. By far the best. 3 in. pots.	.75	2.50
CALAMINTHA—Lavender blooms all sum-	.10	2.00
mer.		
R alpina—Dark green foliage, 6 in	.75	2.50
CALLIRHOE (Poppy Mallow)—Withstands		
drouth and blooms all summer.		
R involucrata—Trailing plants, three		
feet. Rosy purple flowers one inch		
across	.60	2.00
CALTHA (Marsh Marigold)—Bright yellow		
flowers. Bogs.		
palustris—Native—Glossy green leaves.		
Showy	.75	2.50
CAMPANULA (Bell Flowers)—One of the		
most satisfactory groups of plants.		
Summer bloom.		
bononiensis—Blue bells on slender stems,		A #A
2 ft	.75	2.50
R carpatica—Compact tufts, 8 in. stems		
tipped with clear blue bells. June	.75	2.50
to frost	.75	2.50
R dahurica—Deep purple, 12 in	.75	2.50
elegans—Spikes of blue bells all sum-		
mer	.75	2.50
R flexuosa—Native—A mist of blue		
bells, 12 in	.75	2.50
persicifolia—fl. pl. Handsome spikes		
of blue bells	.75	2.50
persicifolia Telham Beauty—Bright	nr.	2.50
blue, 2 ft	.75	2.00

	3	12
rapunculoides-Siberia, nodding blue	3	12
bells, 3 ft	.75	2.50
R rotundifolia—Small blue bells on		
wiry stems, 8 in	.75	2.50
trachelium — Light purple drooping		
bells, 2 ft	.75	2.50
turbinata—Blue, 6 in	.75	2.50
CARYOPTERIS (Blue Spirea) — Hand-		
some shrub-like plants for late		
	.75	2.50
CAREX—Sedge—Native (Old Man's Beard)	•	
R fraseri—Handsome long evergreen green leaves 2 in. across. Spikes of		
white flowers, 2 ft. Very choice for		
woodland planting	.75	2.50
CASSIA (Indian Senna)—Shrubby plants	•••	_,,,,
for border, 4 ft	.75	2.50
marilandica—Native—Panicles of yellow		
pea-shaped flowers	.75	2.50
CATANANCHE (Cupid's Dart)—Open sun.		
Good for drying.		
R caerulea—Blue blossoms on 18 in.		
stems	.75	2.50
CENTAUREA (Knapweed)—Prefer open		
sun.	~-	0.50
dealbata—Pink cornflower blooms	.75	2.50
'montana—Deep blue, grey foliage macrocephala—Large thistle-like heads	.75	2.50
of yellow. Interesting and beautiful	.75	2.50
		2.00
CEPHALARIA (Giant Scabiosa) — Tall plants for backgrounds.		
tartarica—Cream scabious-like flowers		
on long stems, 5 ft	.75	2.50
CERASTIUM (Snow in Summer)—Beauti-		-
ful grey foliage. Sun.		
R biebersteinium—White starry blooms,		
6 in	.60	2.00
R tomentosum—Rampant grower, white	.60	2.00
CHAMAELIRIUM (Devil's Bit) — Long		
spikes of feathery cream blooms. Ex-		
cellent for cutting. Open woods.		
luteum—Native. Mats of leaves in	0.0	9.00
rosette, 2 ft	.60	2.00
CHELONE (Turtle's Head)—Good plants		
for damp or partially shaded places. glabra—Native. White blooms, 3 ft	.75	2.50
lyoni—Native. Lavender pink blooms,	.10	2.00
2 ft	.60	2.00
CHIMAPHILA (Winter Green)—Evergreen		
foliage, handsomely marbled.		
R maculata—Native. Waxy white		
flowers in May, 4 in	.60	2.00
CHROSPERMA (Fly Poison)—Long strap-		
like foliage. Damp.		

	3	12
muscaetoxicum—Native. Handsome		0.50
spikes of white flowers, 2 ft	.75	2.50
CHRYSANTHEMUMS — Indispensible in fall gardens.		
Anemone type—Yellow. Well branched		
and unexcelled for borders, 18 in	.75	2.50
Brune Poitevine - Velvety reddish-		
bronze with golden reverse	.75	2.50
Capt. R. H. Cook—Pompon, deep rose.	.75	2.50
Carrie—Large shaggy yellow	.75	2.50
Corean (Korean)—Sheets of blooms late		
in fall. White fading pink	.75	2.50
Little Bob—Bronze buttons. Good	.75	2.50
Minnie—Large blossoms of rich cream,	75	0.50
very goodDeep pink	.7 5 .75	2.50 2.50
Micado — Maroon and bronze petals	.10	2.50
single	.75	2.50
Mrs. C. Bell—Large single white	.75	2.50
Mrs. F. H. Bergen-Pale pink with	•••	
white center	.75	2.50
October Girl-Soft lavender pink, ex-		
cellent	.75	2.50
Ouray—Rich bronze with copper glow	.75	2.50
Skibo—Gold with bronze center	.75	2.50
Snowdrop—Pure white, button type	.7(5)	2.50
Shaggy bronze—Early and very hardy.	.75	2.50
Tints of Gold—Bronze, two weeks later	.75	2.50
than above	.75	2.50
Zelia—Large orange		
CHRYSOGONUM—Woodland gardens.		2.00
R virginianum—Native. Yellow flowers		
	.75	2.50
CIMICIFUGA (Black Snake Root)—Stately		
plants for open woods.		
racemosa—Native. White flowers on		
4 ft. spikes	.60	2.00
CINERARIA — Silver foliage of great		
beauty.	85	9. F 0
'maritima—Small yellow flowers, 18 in. CLAYTONIA (Spring Beauty) — Dainty	75	2.50
little plants for early spring bloom.		
R caroliniana—Native White flowers,		
4 in	.75	2.50
R virginica-Native. Pink to white		
flowers, 4 in	.50	1.50
CLINTONIA—Broad foliage plants. Deep		
leaf mold and shade.		
R borealis—Native. Nodding bell-		0.00
shaped flowers. Intense blue fruit.	.60	2.00
R umbellulata—Native. White flowers		
usually spotted with brown. Black	.60	2.00
fruit CONVALLARIA (Lily - of - the - Valley)—	.00	4.00
Deep leaf mold and shade.		
200p lows more with bilento		

	3	12
R majalis—Native. Large pure white	20	0.00
bells, fragrant	.60	2.00
R glauca — Native. Dainty biennials		
which seed freely. Yellow and pink		
flowers	.60	2.00
COREOPSIS (Tickseed)—Large daisy-like		
flowers all summer.		
grandiflora—Yellow flowers on long	0.0	0.00
stems grandiflora—Perry's double. Semi-double	.60	2.00
form of above	.60	2.00
CRUCINAELLA (Crosswort)—Good rock	.00	2.00
garden plant. Sun.		
R stylosa—Lavender pink ball-shaped		
flowers on 6 in. stems	.75	2.50
CYNOGLOSSUM (Wild Comfrey)—Large		
mullen-like leaves. Open woods. virginianum—Native. Forget-me-not-		
like flowers, 18 in	75	2.50
CYPRIPEDIUM—See orchids.		2.00
DAISY—Excellent for cutting.		
Hartje and Elder—Early, long stems,		
handsome	.60	2.00
Shasta—Large blossoms in summer	.60	2.06
Alaska—Large white blossoms in sum-	.60	2.00
King Edward—Glistening white blooms	.75	2.50
DAPHNE—cneorum. The best rock garden		2.00
shrub. Fragrant pink flowers in		
spring and fall, 75c.		
DELPHINIUM (Perennial Larkspur) —		
The most popular blue flower.	CO	2.00
belladonna—Improved. Light blue bellamosa—Dark blue form of above		2.00
R chinese—Gentian blue, branched		2.50
Pudors hybrids—Wonderful colors and		2.00
robust growers, 35c each	1.00	4.00
R tricorne — Native. Tuberous, deep		
blue. Shade	.60	2.00
DENTARIA (Toothwort)—Tuberous rooted		
woodland plants. R diphylla—White flowers in spring, 6		
in	.60	1.50
DIANTHUS (Pinks)—Indispensible in gar-		
dens. Sun.		
R caesius—Cheddar pinks, stiff 4 in.		
stems, pinks	.75	2.50
R caesius—fl. pl. Double form of above	.60	2.00
R deltoides—Maiden pinks. Neat green foliage. Rose, 6 in	.60	2.00
R deltoides alba—White form of above	.60	2.00
R deltoides Major Sterne—Bronze		
foliage, red flowers	.60	2.00
Gladys Cranfield—Deep pink, dark red		
eye, 12 in	.75	2.50

	3	12
heddewigi — Japanese pinks, brilliant colors all summer	.60	2.00
knappi—Dark green foliage. Yellow		0 = 0
blooms, 12 in	.75	2.50
plumarius—Old-fashioned clove pinks,		
mixed	.75	2.50
35c each.		
semperflorens—Robust growers. Large	77	0.50
blooms DIANTHUS (Sweet Williams).	.75	2.50
barbatus—Newport pink	.60	2.00
barbatus—Mixed colors	.60	1.50
Sweet Wivelsfield—Mixed colors	.60	2.00
DICENTRA (Bleeding Heart)—Among the best of garden plants.		
R canadensis (Squirrel Corn)—Native.		
Panicles of white heart-shaped flow-		
ers edged with pink. Fern-like		
foliage	.50	1.00
R cucullaria (Dutchman's Breeches)— Native. Similar to above. Blos-		
soms edged with yellow	.50	1.00
R eximia—Native. Pink blooms all		2.00
summer	.75	2.50
spectabilis—Old-fashioned bleeding heart	.75	2.50
DIGITALIS (Foxglove)—Stately plants for		
the border. gloxinioides—Mixed colors	60	2.00
lutea—Interesting cream blooms, 2 ft		2.50
laevigata—Yellow with brown markings,		
2 ft	.75	2.50
DIPHYLLEIA (Umbrella Leaf)—Hand-		
some plants for damp woodlands. cymosa—Native. Clusters of white flow-		
ers, 2 ft	75	2.50
DISPORUM—See Prosartes.		2.00
DODECATHEON (Shooting Star or Ameri-		
can Cyclamen)—Open woods. One		
of our handsomest native plants.		
Hugeri—Native. White flowers with brown eye, 18 in	.75	2.50
DORONICUM (Leopardsbane) — Excellent	.10	2.00
cut flowers. Sun.		
caucasicum—Large yellow flowers, 2 ft.	75	2.50
R DRABA ramosissima—Native. Ever-		
green foliage covered in sheets of misty white flowers for a long time		
in spring. Very fine	.75	2.59
ECHINOPS (Globe Thistle)—Coarse prickly		
foliage. Good for cutting.		
ritro—Handsome heads of blue, 3 ft	75	2.50
EPIGAEA (Trailing Arbutus)—Intensely		
acid soil and part shade.		

	3	12
R repens—Native. Pink waxy flowers	er r	0.50
in March EUPATORIUM (Joe - pye - weed) — Tall	.75	2.50
plants for naturalizing. purpureum—Purple flowers in fall, 5 ft.	.60	2.00
EUPHORBIA (Spurge)—Like hot, dry situations.	.00	2.00
corollata—Native. Umbels of white		
flowers similar to "Baby's Breath,"		
12 inepithymoides—Feathery foliage, yellow	.60	2.00
flowers, 12 in myrsinites—Handsome blue-green	.75	2.50
foliage. Yellow	.75	2. 50
polychroma—Showy yellow bracts EUTHAMIA (Fragrant Golden Rod)—	.75	2. 50
caroliniana—Clusters of very fragrant		
yellow flowers, 18 in	.60	2.00
ERIGERON (Fleabane)—Daisy-like blooms in clusters.		
pulchellus—Blue blooms one inch across.		
12 in	.75	2.50
speciosus—Lavender blue flowers, 18 in. R ERINUS ALPINUS—Lovely lavender	.75	2.50
flowers on 4 in. spikes	.75	2.50
R ERYSIUM PULCHELLUM—Wonderful		
mats of green foliage. Yellow flowers	.75	2.50
ERYNGIUM (Sea Holly)—Interesting thistle-like plants.	•••	2,00
planum—Steel blue heads and stems, 3		
ft	.75	2.50
yuccaefolium—Native. Heads of white flowers, 3 ft	.60	2.00
ERYTHRONIUM (Trout Lily)—Beautiful		
lily-like plants for woodlands.		
R americanum—Native. Spotted leaves, yellow, 6 in	.60	2.00
FERNS—Listed according to Britton & Brown.	.00	2.00
Adiantum—Maiden Hair	.60	2.00
Asplenium filix-foemina—Lady fern	.60	2.00
Asplenium montanum—Mountain spleen- wort, 35c each.		
Asplenium parvulum — Small spleen- wort, 35c each.		
Asplenium platyneuron—Ebony spleen-		
wort	.60	1.50
Asplenium trichomanes— Maiden hair spleenwort	.7.5	2.50
Botrychium virginianum — Rattlesnake	.60	2.00
fern	.00	2.00
fern Cheilanthes alabamensis — Very hand-	.60	2.00
some and rare, 35c each.		

	3	12
Cheilanthes lanosa—Hairy-lip fern	.75	2.50
Cheilanthes tomentosa—Woolly-lip fern,		
35c each.	•	
Camptosorus rhizophyllus — Walking		
fern	.75	2.50
Dicksonia punctilobula — Hay scented	00	0.00
fern Dryopteris acrostichoides — Christmas	.60	2.00
fern	.50	1.50
Dryopteris marginalis—Evergreen woods	.50	1.50
fern	.75	2.50
Dryopteris noveboracensis—New York		2.00
fern	.60	2.00
Dryopteris spinulosae—Spinulos shield		
fern	.75	2.50
Dryopteris thelypteris — Marsh shield		
fern	.75	2.50
Lygodium palmatum—Climbing fern	.75	2.50
Onoclea sensibilis—Sensitive fern	.60	2.00
Osmunda cinnamomea—Cinnamon fern.	.60	2.00
Osmunda claytoniana—Clayton's fern	.60	2.00
Osmunda regale—The royal fern	.75	2.50
Pellaea atropurpurea—Purple stemmed		
cliffbrake	.75	2.50
Phegopteris hexagonoptera — Broad		
beech fern	.60	2.0 0
Polypodium polypodioides—Gray poly-		
pody	.75	2.50
Polypodium vulgare — Common poly-		
pody	.50	1.50
Pteris aquilina—Bracken		
Woodsia obtusa—Obtuse woodsia	.75	2.50
FEVERFEW (Matricaria)—Summer bloom-		
ing plants.		
Little Gem—Double white flowers in	75	250
clusters Yellow groon foliage	.15	2.50
Golden Feather—Yellow-green foliage,	75	2.59
single white flowers FUNKIA (Plantain Lily)—Excellent plants	.75	2.00
for part shade and summer bloom.		
R lancifolia—Spikes of lilac flowers,		
2 ft	.75	2.50
subcordata—The "August Lily." White		
very fragrant	.75	2.50
R variegata—Green and white foliage,		
blue, 18 in	.75	2.50
GALAX — Wonderful evergreen ground		
cover. Shade, very acid soil.		
R aphylla—Native. Spike of misty		
white flowers in summer, 18 in	60	2.00
GALEGA (Goat's Rue)Large shrubby		
plants for the border.		
officinalis-Native. Lovely foliage and	pa pa	0.5
pink pea-shaped flowers, 3 ft	.75	2.50
GAILLARDIA (Blanket Flower)—One of		
the best for cutting.		

	3	12
grandiflora—Yellow and brown single		
blooms	.60	2.00
Shade and very acid soil.		
R procumbens — Native. White bell-shaped flowers, followed by red ber-		
ries, 3 in	.75	2.50
GENITIANA—Nothing else gives the in-		
tense blue of the gentians. R andrewsi—Native. Closed gentian.		
Shade and humus, 18 in	.75	2.50
R porphyrio—Native. Intense blue with		
green and yellow markings in throat. Unsurpassed for beauty.		
Easily grown in open sandy loam if		
acid. 8 in., 50c each.		
R decora—Native. Heavenly blue blossoms. Moisture	.75	2.50
GEUM (Avens)—Excellent for cutting.		2.00
Lady Strathedon—Double yellow, 18		2 - 4
inSemi-double, orange-	.75	2.50
red	.75	2.50
GERANIUM (Crane's Bill) — Good for		
naturalizing, or in shady border. maculatum — Native. Soft lavender		
flowers one inch across. 18 in	.60	2.00
sanguineum—Rosy-pink flowers, 12 in.	.75	2.50
GILLENIA (Indian Physic) trifoliata — Native. White stars in		
masses on wiry red stems. Ef-		
fective	.75	2.50
GLOBULARIA (Globe Daisy)—Rosettes of handsome foliage.		
R cordifolia—Attractive blue flowers,		
6 in	.75	2.50
R bellidifolia—Violet blue balls, 6 in. Rare	.75	2.50
R trichosantha—Heads of blue on 6 in.	.10	2.00
stems	.75	2.50
GRASSES (Festuca) R glauca—Glaucous blue foliage, 10		
in	.75	2.50
GYPSOPHILA (Baby's Breath) — Unsur-		
passed for mixed bouquets and for drying.		
R cerasticides — Wonderful for rock		
work. White flowers. 2 in	.75	2.50
paniculata—Mists of white flowers, 3 ft	.75	2.50
R repens (Chalk Plant)—Grey foliage,		2.00
blooms all summer, 6 in	.75	2.50
HELENIUM (Sneezewort) — Showy fall blooming plants.		
autumnale superbum—Deep golden yel-		
low, 3 ft	.75	2.50

	3	12
riverton beauty—Lemon yellow, disk of		
purple, 3 ft	.75	2.50
HELIANTHEMUM (Rock or Sun Rose)—		
Evergreen shrubby plants.		
R Buttercup—Deep green foliage, yellow flowers. One of the best. 6 in.	75	2.50
R Bride—Silver grey foliage, white	.75	2.5 0
R Fireball—Green foliage, double scar-	.10	2.50
let	.75	2.50
R Mutabile—Good foliage, pink, white		
or red	.75	2.50
R Rhodantha carneum—Silver foliage,		
pink flowers	.75	2.50
R Sudbury's Gem — Green foliage,		
bronze flowers	.75	2.50
HELIANTHUS (Sunflowers) — Handsome		
for mass planting and cutting.		
multiflorus fl. pl.—Clear yellow, 4 in. across, 3 ft. Not very hardy here	.75	2.50
native—Mixture for naturalizing	.60	1.50
HELONIAS—Showy and unusual plants	.00	1.00
for bogs.		
bullata—Native. Broad leaves at base,		
18 in. Scape covered with pink		
flowers. 50c each.		
HEMEROCALLIS (Day Lily)—Easily		
grown and showy plants for the		
hardy border.		
aurantiaca—Yellow, fragrant		
dumartieri—Orange	.75	2.50
flava—Lemon lily, clear yellow	.75	2.50
fulva—Brown day lily, common road- side lily	.60	1.50
kwanso—Large double flowers, coppery	.00	1.00
orange	.60	2.00
luteola—Yellow, late	.75	2.50
middendorfi—Orange-yellow	.75	2.50
thunbergi—Pale yellow, late	.75	2.5 0
HERNIARIA-		
R glabra—Excellent for carpeting. Sun		
or shade. Evergreen, turning red		
in winter	.75	2.50
HEPATICA (Liverwort) — No woodland		
garden is complete without these charming plants. Blues, pinks and		
whites can be supplied in separate		
colors but at advanced prices.		
R americana—Native. Blue flowers pre-		
dominate, 4 in., marbled leaves	.60	1.50
R acutiloba — Marbled foliage, white		
flowers as a rule	.60	1.50
HEUCHERA—Beautiful foliage and at-		
tractive bell-shaped flowers.		
americana — Native. Cream flowers,	60	1 50
marbled leaves	.60 .75	1.50 2.50
hybrids—Interesting colors in mixture.	.10	2,00

	3	12
sanguinea—Pink spike, good for cutting		2,50
villosa—Native. White spikes in fall.	.60	2.00
HIBISCUS (Mallow)—Stately and showy plants. Red, pink or white	.75	2.50
HOLLYHOCK—No garden is complete	.10	2.00
without these old-fashioned flowers.		
Double—Yellow	.75	2.50
Single—Deeper shades in mixture	.75	2.50
HOUSTONIA (Bluets) — One of our		
daintiest flowers for rock gardens or		
naturalizing. R caerulea—Native. Biennial forget-		
me-not-like flowers, 4 in	.60	2.00
R serpyllifolia (Repens) — Native. A		
wonderful ground cover in damp or		
shady places. 1 in	.60	2.00
R purpurea—Native. Purple flowers on 6 in. stems	.60	2.00
R montana—Native. Clear pink waxy	.00	۵.00
petals, branched, 4 in. Very rare		
and choice	.75	2.50
HYMENOCALLIS (Spider Lily) — The		
aristocrat of all native plants. The		
only hardy spider lily. occidentalis—Strap-shaped foliage. Four		
to six pure white spidery blooms on		
scapes two feet high. Very fragrant.		
\$1.50 each.		
HYPERICUM (St. John's Wort)—Showy	•	
yellow flowers.		
on stems 1-3 ft. Very rare. 75c each.		
R reptans—Dark green foliage. Large		
yellow flowers in abundance. One of		
the best	.75	2.50
See other species under shrubs.	•	
HYPOXIS (Yellow Star Grass)—Interest-		
ing bulbous plants for the rock gar-		
den.		
R erecta — Grass-like foliage, yellow	CO	1.50
	.60	1.50
iberis (Candytuft) — Very satisfactory plants for edgings and rock work.		
Evergreen foliage.		
R gibraltarica—Sheets of lavender		
blooms in spring. Usually a biennial		2.22
with us		2.00
Glossy green foliage and masses of	•	
pure white flowers in spring	.75	2.50
INULA (Fleabane)—Giant yellow flowers		
similar to sunflowers on stiff stalks,		
18 inches. royleana—From the Himalayan wilds.	PT- P*	9 54
of tours arrow the minarayan wilds.	. 1/5	2.50

(Poor Man's Orchid)—So easily IRIS grown and showy that one cannot have too many.

(Bearded Varieties)

Alcazar—Violet, purple.

Ambassadeur-Lavender, maroon.

Brooksiana-Light lavender self-color.

Candlebra-Blend of yellow and lavender.

Flavescens—Soft creamy yellow. Florentina—Pale blue, almost white.

Gold Crest—Sky blue, gold beard.

Gracchus-Yellow, purple.

Her Majesty-Rose, pink.

Honorabilis—Canary yellow, brown.

Iris King-Yellow, maroon.

Jacquesiana—Wine and plum color.

Juanita-Blue.

Lohengrin—Deep violet lavender.

Lord of June—Clear light blue.

Loreley—Yellow, blue.

Madam Chereu-White edged blue.

Mother of Pearl-Name describes.

Pallida Dalmatica—Soft lavender, blue.

Purple King—Dark violet purple.

Quaker Lady-Smoky lavender with yellow.

Queen of the May-Pink.

Sherwin-Wright—Bright clear yellow.

White Knight—Pure white, early.

Mixture—10 of 10 varieties, \$5.00.

Any of the above at \$1.00 per dozen.

(Dwarf Varieties)

R Cristata—Native. Clear blue, 4 in\$.60	\$ 1.50
R Cristata alba—Pure white form of		
above, \$1.00 each.		
Pumila-cearulea—Light blue, 4 in	.75	2.50
R Pumila-Sambo—Deep violet, 4 in	.75	2.50
R Prismatica - Native. Light blue;		•
damp, 12 in	.60	2.00
R Verna-Native. Amethyst blue, fra-		
grant	.60	1.50
Versicolor-Native. Light blue and yel-		
low; damp; 18 in	.60	1.50
(Various Species)		
ochroleuca-gigantea — Creamy white		
flowers with wonderful texture. Yel-		
low stripe on each petal	.75	2.50
pseudacorus—Deep golden yellow; dry		
or wet land	.60	1.50
sibirica—Deep rich blue	.60	1.50
sibirica alba—White form of above	.60	1.50
kaempferi—Japanese. Prefer damp soil;		
purple only	.75	2.50
kaempferi-Mixed Choice	.75	2.50

	3	12
ISATUS (Golden Gypsophila)—A great addition for the hardy border.		
boissieriana—Masses of yellow flowers		
in spring and lasting a long time	.75	2.50
JASIONE (Sheep Scabious)—Blooms all		
summer. R perenne—Dainty blue flowers on 6		
in. stems	.75	2.50
LARIOPE (Summer Hyacinths)—Any soil.		
Sun or shade. graminifolia—Grass-like foliage. Spikes		
of purple flowers in late summer or		
fall. Bulbous	.75	2.50
LATHYRUS (Perennial Sweet Peas)—		
Blooming in late summer when		
flowers are scarce. latifolius—Mixed colors only, 4-6 ft	.60	2.00
LAVENDULA (Lavender)—Herb used for		200
its fragrance. Limy soil	.75	2.50
vera—Grey foliage, lavender flowers.		
LEPACHYS COLUMNARIS— The Obelisk—Flower Yellow with brown		
cones. Unsurpassed for constant		
bloom in hot, dry places	.75	2.50
LIATRIS (Gay Feather)—Showy plants		
for the border.		
R Helleri—Native. Very dwarf form		
for rock garden. Very rare and		
choice. 35c each. pycnostachya—Spikes of rich purple,		
5 ft	.75	2.50
scariosa—Native. A favorite of the gay		
feathers, 4 ft	.60	2.00
spicata—Native. Smaller than above	.60	1.50
LILIES—Popular and showy border plants. canadense—Native. Yellow, 2-4 ft	.7:5	2.50
candidum (Madonna Lily)—Pure white,	,,,,	2.00
fragrant	.75	2.50
carolinianum — Native. Deep orange		
Grayi—Native. Slender, bright orange-	.75	2.50
red	.75	2.50
philadelphicum—Native. Orange-red, 2		_,,
ft	.75	2.50
regale—White lined pink	.75	2.50
superbum—Native. Handsomest of all. R tenuifolium—Coral lily. Excellent for	.75	2.50
rock gardens	.60	2.00
tigrinium—Orange scarlet; very hardy.		2.00
Spider Lily—See Hymenocallis occi-		
dentalis.		
LINARIA—Plants of easy culture. R alpina—Choice biennial from Switzer-		
land; purple and orange. Snap-		
dragon-like flowers, 4 in. Seeds		
freely	.60	2.00

	3	12
R alpina rosea—Rose-colored form of above	.75	2.50
cymbalaria — Kentworthy Ivy — Dainty trailing vine for rock walls or hang-		
ing baskets. Lavender blooms dalmatica—Butter and Eggs—Yellow	.60	1.50
and orange. Escaped	.60	1.50
LINUM (Flax)—Graceful plants for sunny		
situations. Ralpinum—Prostrate form, blue, blooms		
all summer	.75	2.50
R flavum—Large golden blooms	.75	2.50
R narbonense—Very graceful and hand-		
some	.75	2.50
perenne—Feathery foliage, blue perenne alba—White form of above	.75 .75	$2.50 \\ 2.50$
·	.10	4.50
LOBELIA—Prefer damp sunny situations. cardinalis—Native. Cardinal Flowers.		
Fiery red spikes, 2 ft	.60	2.00
syphilitica—Native. Intense blue flow-		
ers, 2-4 ft	.60	2.00
LONICERA (Woodbine)—Native. Hand-		
some vines with spring blooms.		
sempervirens—Clusters of "firecracker"-		
, ,	.75	2.50
LYCHNIS (Campion)—Choice for sunny situations.		
R alpina—Very dwarf, spikes of rose,		
4 in	.75	2.50
R arkwrighti—Bright orange-scarlet, 8		
in	.75	2.50
chalcedonica—Heads of brilliant scarlet,		
18 in	.75	2.50
R viscaria splendens—Bright rose, 12	.75	2.50
in	.75	2.50
LYCOPODIUM — Excellent evergreen	• • •	
plants for ground cover in deep shade.		
complanatum—Native. Trailing Christ-		
mas pine, 4 ft	.75	2.50
lucidulum—Native. Shining club moss	.75	2.50
obscurum—Native. Turkey brush, 6 in. selago—Native. Fir club moss, 2-4 in.	.60 .75	2.00 2. 50
tristachyum—Cedar moss, 6 in. Rare	.75	$\frac{2.50}{2.50}$
LYSIMACHIA (Creeping Jennie) — Good		2.00
ground cover, part shade.		
R nummularia—Bright yellow blooms		
in spring	.60	1.50
MELESSIA officinalis—Lemon balm. Very	P =	0.70
fragrant, crinkled foliage MENTHA (Spearmint)—Aromatic plants.	.75	2.50
spicata—Native. Good foliage, lavender		
flowers, 2 ft	.60	1.50
piperita (Peppermint)—For tea	.60	1.50

	3	12
MERTENSIA (Virginia Blue Bells) —		
Heavenly blue flowers with pink		
buds. Moisture.		
virginica—One of the prettiest of our native plants	.60	2.00
MIMULUS (Monkey Flower)—Interesting	.00	2.00
plants for damp places.		
ringens—Native. Grinning blue flowers		
one inch across	.75	2.00
MITCHELLA (Turkey Berry)—Glaucous		
green leaves and bright red berries		
in winter. Good ground cover.		
R repens — Native. White blooms,	.60	1.50
· · · · · · · · · · · · · · · · · · ·	.00	1.90
MITELLA (Bishop's Cap)—Spikes of tiny		
cap-shaped flowers. R diphylla—Native. White flowers on		
1 ft. stems	.75	2.50
MORNARDA—See bergamont.		2.0
MYOSOTIS (Forget-Me-Not). Part shade		
and moisture.		
R palustris—Native. Blue flowers all		
summer	.60	2.00
NEPETA (Ground Ivy)		
R mussini—Grey foliage, lavender flow-		
ers all summer	.60	2.00
R hederacea — Native. Bright green	co	2,00
foliage, lavender blooms, 3 ft. vines. hederacea variegata—Beautiful green	.60	2.00
foliage bordered with white. Un-		
excelled for hanging baskets	.75.	2.50
NIEREMBERGIA (Cup Flower)—Sheets of		
bloom all summer.		
R fruticens — Lavender blue flowers.		
12 in. Very choice and rare	.75	2,50
R rivularis—Large white flowers. Part		
shade. 2 in	.75	2.50
NOTHOSCORDIUM—Similar to the Al-		
liums but does not have the alliaceous		
odor. bivalve—Native. Umbels of cream-		
colored flowers with a purple stripe		
on the reverse of the petals. Very		
beautiful	.75	2.50
ORCHIDS (Native)		·
Aplectrum spicatum (Putty root)One		
large olive green leaf with white		
veins, in winter. Spike or purplish		
flowers in summer; 3 ft	.75	2.00
Cypripedium acaule (Moccasin flower)—		
Large pink lady slipper, 12 in. Acid soil	.75	2.50
Cypripedium hirsutum (Large Yellow	. (()	4.00
Lady's Slipper)—Handsome bright		
yellow flowers, 18 in	.75	2,50

	3	12
Cypripedium parviflorum (Small Yellow Lady's Slipper)—Small form of above,		
18 in	.75	2.50
foliage	.60	1.50
Orchid)—Gorgeous orange flowers, 12	.75	2.50
Habenaria claveleatta—Small yellow- green blooms, 8 in	.75	2.5 0
Habenaria cristata—Bright orange, crested, Very acid bog soil. 12 in., 35c each.		
Habenaria psycodes (Small Purple Fringed Orchid)—Spikes of bright		
lavender flowers, fragrant Limodorum tuberosum (Grass Pink)— Handsome lavender flower on 12	.75	2.50
in. stems	.75	2.50
white, 5 in	.75	2.50
6 in. stems. Bogs Spiranthes cernua (Ladies Tresses)—	.75	2.50
White fragrant flowers, 8 in Tipularia unifolia—One leaf in winter, maroon underside. Spike of purple	.60	2.00
flowers in August	.60	2.00
R violacea—Lavender flowers on 4 in. stems	.60	1.50
Escaped from Europe. R umbellatum—White stars which close at night, 6 in	50	1.00
PACHYSANDRA (Japanese Spurge)—	.90	1.00
Ground cover for shade. terminalis—Dark green foliage, ever-		
green, 6 in PAPAVER (Oriental Poppy) — Large flowers for summer.	.60	2.00
hybrids—Pinks, reds, salmons, orange PARONYCHIS (Silver Whitlow-Wort)— Ecellent for hot sun in rocky places.	.75	2.50
argyrocoma—Native. Mats of grey- white foliage with white flowers.	7.5	0.50
Choice	.75	2.00
incarnata — Handsome lavender and		
white flowers	.60	2.00
lutea—Pale yellow	.60	2.00

	3	12
PEDICALARIS (Wood Betony)—Fern-like		
leaves. Open woods.		
canadensis—Native. Brown and yel-		
low flowers, 8 in	.60	2.00
PENTSTEMON (Beard Tongue) — Ex-		
cellent for summer bloom in borders.		
barbatus torryei—Coral red spikes on		
2 ft. stems	.75	2.50
barbatus torryei hybrids—Pale pink to	n c	9.50
purple Charakter and payoned with	.75	2.50
ovatus — Shrubby and covered with	.75	2.50
rosy-purple flowers all summer hirsutus—Native. Purplish pink, 18 in.	.60	2.00
pubescens—Lavender flowers on spikes.	.60	2.00
unilateralis—Opalescent blue flowers, 18	.00	2.00
in	.75	2.50
·		2.00
PHLOX—The most satisfactory of all		
plants for show and ease of culture. DECUSSATA TYPE—Bloom all sum-		
mer if old blossoms are kept cut		
off. 2-4 ft.		
B. Compte—Amaranth red; very showy	.75	2.50
Enchantress—Soft salmon	.75	2.50
Graf Zeppelin—White, large red eye	.75	2.50
Jules Sandeau—Deep salmon pink	.75	2.50
Mrs. Chas. Dorr—Soft lavender	.75	2.50
Mrs. Jenkins—Pure white	.75	2.50
Rijinstrom—Bright rose pink	.75	2.50
Thor—Deep salmon pink	.75	2.50
Widar—Lavender-purple, white eye	.75	2.50
Sir Edwin Landseer-Watermelon pink		2.50
SUFFRUTICOSA TYPE—		
Alpha—Lingard foliage, rosy-pink		
blooms	.75	2.50
Miss Lingard—White, pink eye, good		
bloomer	.75	2.50
SUBULATA TYPE (Moss Pinks)—Un-		
surpassed for rock work.		
R australis—Native. Shades of pink	.60	2.00
R Alba—Pure white, yellow stamens	.75	2.50
R Peach Blossom—Pink with white eyes	.75	2.50
R Bride—White, pink eye R Fairy—Small layender blooms	.75	2.50
	.75	2.50
and the second s	75	9.50
purple eye	.75	2.50
R Rosea-red—Dark form of above	.6C	2.00
R G. F. Wilson—Soft lavender-blue	.75 .75	$\frac{2.50}{2.50}$
R Vivid—Pure pink. Slow growth.	.10	2.00
Choice	.75	2.50
R BRITTONI—Native. White with purple		2.00
eye	.75	2.50
NIVALIS—Similar to the sabulata type.		
but more attractive in foliage and		
color. Two weeks later. Very rare		
and beautiful.	٠,	

	3	12
R Anne Knight—Native. Soft lav-		
ender-purple, 50c each. R Col. Moore—Native. Pure white, 50c		
each.		
R Mary Alice—Native. Fine spiny		
foliage, soft pink blooms with red		
eye, which completely smother the		
plant. 50c each.		
R Sir Guilford—Native. Coarse foliage,		
very large pink blooms with red eye; very handsome. 50c each.		
VARIOUS TYPES—		
R amoena—Native. True variety of		
this handsome plant. Rose colored	20	0.00
flowers, 12 in	.60	2.00
amplifolia-Native. Pink to purple,	75	0.50
2-4 ft Dright nage number	.75	2.50
carolina—Native. Bright rosy purple,	.60	2.00
ovata—Native. Large pink blooms,	.00	2.00
early, 18 in	.75	2.50
R divaricata canadensis—Native. Blue,	.10	2.00
creeping with upright stems, 8 in	.75	2.50
pilosa—Native. Deep pink blossoms,		2.00
12 in	.75	2.50
R stolonifera (reptans)—Native. Soft		2.0
violet colors on creeping stems,		
6 in	.60	2.00
PHYSALIS (Chinese Lantern Plant)—		
Handsome seed pods for drying.		
francheti-Orange-scarlet fruits in fall	.60	2.00
PHYSOSTEGIA (False Dragon's Head)—		
Easily grown plants.		
virginiana—Native. Spikes of lavender		
flowers, 2 ft	.50	1.50
virginiana alba—White form of above.	.50	1.50
R vivid—Bright pink. Late blooming,		
18 . in	.60	2.00
PLATYCODON (Japanese Balloon		
Flower)—Splendid for summer bloom.		
grandiflora—Deep blue flowers, 2 ft	.75	2.50
R mariesi—Dwarf species. Blue, 12 in.	.75	2.50
PLUMBAGO (Leadwort)—Shrubby plants		
for fall bloom.		
R larpentae—Intense blue flowers, 6 in.	.75	2.50
PODOPHYLLUM (May-apple)—Part shade		`
in damp places.		
R peltatum — Native. Large leaves,	CO :	0.00
cream blossoms, fragrant	.60	2.00
POLEMONIUM (Jacob's Ladder)—Beauti-		
ful ladder-like foliage. R reptans — Native. Showy clusters,		
blue, 8 in	.75	2.50
Richardsoni—Erect stems of blue flowers,	*10	2,00
2 ft	.75	2.50
POLYGONATUM (Solomon's Seal)—For		_,,,
woodland planting.		

	3	12
bifforum—Native. Dwarf, blue fruit, 12		1 50
in	.60	1.50
foliage, white bells, 2-4 feet	.60	1.50
POTENTILLA (Cinquefoil) — Good for		
borders of large rock gardens.		
R Miss Wilmott—Salmon pink blooms in mid-summer, 15 in	.75	2.50
R nitida—Shrubby with silvery foliage,		2.00
35c each.		
R tridentata—Native. Shrubby ever-		
green foliage. White	.75	2.50
tion.		
R veris—Red with yellow eye, 6 in	.75	2. 50
R vulgaris—Old-Fashioned yellow	.75	2.50
PROSARTES—Interesting plants for shade.		
lanuginosa—Native. Creamy bells, 1 in. long; 2 ft	.75	2.50
maculata—Native. White bells with		2.00
brown spots	.75	2.50
PYRETHRUM (Painted Daisy)—Bloom all		
summer.		
	.75	2.50
RANUNCULUS (Buttercup) — Easily grown plants.		
repens—Double wax-like yellow flowers,		
6 in	.60	1.50
R septentrionalis—Native. Good ground		
cover in damp places	.60	1.5 0
RHEXIA (Meadow Beauty)—12 in., bulbous plants.		
R virginiana—Native. Pink blooms an		
inch across		2.50
RUDBECKIA (Cone Flower) — Handsome		
border plants. Golden Glow—Large double flowers, yel-		
low, 6 ft	.50	1.50
hirta — Native. Brown-eyed Susan.		
Orange daisies with large brown		'o o o
cones purpurea—Purplish-red, 4 ft	.60 .75	2.00 2.50
SAGITTARIA (Arrowhead)—Bog plants.		2.00
latifolia-Native. White flowers on 2		
ft. stems	.75	2.50
graminea — Native. Charming white waxy blooms. Very rare. 35c each.		
SALVIA (Meadow Sage) — Indispensible		
for borders.		
azurea—Sky-blue flowers, 3 ft	.75	2.50
bracteata—Large foliage, white or rose bracts. Very striking	.75	2.50
farinacea—Bright blue flowers all sum-	.10	ران. ۵
mer	.75	2.50
pitcheri—Gentian blue flowers, 4 ft	.75	2.50
SANGUINARIA (Blood-root)—Plants of great beauty. Shade.		
great beauty. Snaue.		

	3	12
R canadensis—Native. Large waxy		
white flowers before the leaves ap-		
pear	.60	1.50
SANTOLINA (Lavender Cotton) — Gray		
shrubby plants.		
R chamaecyparissus—Fragrant foliage,		
yellow flowers	.75	2.50
R SAPONARIA ocymoides (Soapwort)—		
Excellent for dry walls. Pink	.75	2.50
SARRACENIA (Pitcher Plants)—Interest-		•
ing plants for bogs.		
flava—Native. Huge trumpets with yel-		
low flowers	.75	2.50
Jonesi—Native. Tall narrow pitchers,		
red blooms; rare. 35c each.		
minus—Native. The most interesting		
and beautiful. Transparent win-		
dows in trumpet. 35c each.		4
purpurea (venosa)—Native. The saddle- back plants; red	75	2.50
SAXIFRAGA—Damp places.	. 110	2.00
R micranthidifolia—Native. Lettuce saxi	_ ,	
frage. Has reddish-bronze foliage;		
white, 2 3 ft	.60	1.50
R virginiensis—Native. White flowers,		
12 in	.50	1.00
R petilolaris—Mists of white flowers in		
late summer and fall. Rare	.75	2.50
SCABIOSA (Pincushion Flower)—Good for		•
cutting.		
caucasica—Blue flowers on stiff stems,	.75	2.50
2 ft	.75	2.50
SEDUMS (Stone Crop)—"The backbone of		2.00
the rock garden."		
R acre—Golden moss-creeping; yellow	.50	1.50
R acre Major—Large form of above		2.00
R album—White, 4 in	.50	1.50
R altissimum—Gray foliage, 6 in	.60	2.00
R brevifolium—Tiny gray leaves, purple	0.0	0.00
stems; excellent	.60	2.00
R dasyphyllum—Small gray foliage; charming	.60	2.00
R ewersi—Coarse foliage, pink, 12 in.	.60	2.00
R glaucum—Mossy gray plants	.60	2.00
R kamchaticum—Bright orange, 8 in	60.	2.00
R linera—Bright green, spiny foliage	.50	1.50
R linera verigata—2½ in. pots	.60	2.00
R lydium—Mossy, bright red in winter	.60	2.00
R middendorffianum—Bright red foliage	00	0.00
in winter	.60	2.00 2.00
R pulchellum—Native. Bright green	.00	2.00
and red in winter; rose	.60	2.00
R pruinatum—Soft gray spines	.60	2.00

	3	12
R Rhodiola roamensis—The rarest na-		
tive sedium. The only plants in		
cultivation. Re-discovered recently		
after being lost for years. Rose, 10		
in. 50c each. R rupestre—Blue-red leaves in winter.		
Good	.60	2.00
R sarmentosum — Stringy stone crop,		2.00
yellow	.50	1.50
R sexangular—Golden blossoms. Good.	.60	2.00
. R sieboldi (Nickels and Dimes)—Gray		
heart-shaped leaves bordered with		
red. Pink, 8 in	.60	2.00
spectabilis (House Leek)—Rose, 18 in.	.60	2.00 2.50
spectabilis brilliant—Red form of above R ternatum—Native. Good ground cover	.75	2.50
in shade. White to pink	.50	1.50
telephoides — Native. Glaucous blue	.00	1.00
foliage. White to pink flowers, 12 in.	.60	2.00
SEMPERVIVUM (Hen and Chicks)—In-		
teresting rosettes for walls and well		
drained places.		
R arenarium — Small rosettes, green,		
cream flowers	.60	2.00
R arachnoideum—Cob-web house leek.	.75	2.50
R brauni — Bronze cushions, yellow	0.0	9.00
frimbriatum—Pointed leaves—pink	.60 .75	2.00 2.50
R globiferum—Flat rosettes, tipped with	.10	2.00
red	.60	2.00
rubicundum—Large reddish rosettes	.75	2.50
R tectorum—Large brown-tipped ro-		
settes	.50	1.50
SENECIO (Ragwort)—Spring—		
aureus—Native. Bright yellow, 18 in	.60	2.00
SHORTIA (Oconee Bells)—Charming wood-		
land plant of easy culture. Acid soil and shade.		
R galacifolia—Glossy evergreen foliage		
and waxy white to pink bells, 6 in	.75	2.50
SIDALCEA (Prairie Mallow)—Excellent		
plants for the border. Cutting.		
grandifloraRose colored, 2-3 ft	.75	2.50
rosy gem—Summer blooms, pink	.75	2.50
SILENE (Catchfly))—Sun loving plants.		
R alpina—Gray foliage, white bladder- like flowers, 6 in	.75	2.50
R carolinianum — Native. Masses of		2.50
clear pink flowers. Very beautiful.		
50c each.		
dianthifolia-Cream flowers, 2 ft. Ex-		
cellent for cutting	.75	2.50
ovata—Native. Beautiful fringed white	-	
flowers, 2-3 ft	.75	2.50
R schafta—Orange scarlet, 8 in stellata—Native. White blossoms on	.75	2.50
3 ft. stems	.75	2.50
U 10. DUCIIID		2.00

	3	12
R virginica (Fire-pink)—Native. Bril-		
liant scarlet. Our best red native	.75	2.50
vulgarius—Escaped. White on 3 ft.	.15	2.00
stems. Usually a pest but lovely	.75	2.50
SMILACINA (False Solomon's Seal)—		
racemosa — Native. Feathery white flowers at tip of each stalk. Red		
fruit	.6 0	2.00
SISYRINCHIUM (Blue-eyed Grass)—Iris-		
like foliage.		
R augustifolium—Native. Bright blue flowers, 8 in	.60	2.00
STACHYS (Bunny's Ears)—Gray felt	•••	2.00
leaves. Sun.		
R lanata—Spikes of lavender bloom,	~~	0.50
18 in	.75	2.50
cutting.		
latifolia-Mists of lavender flowers, 15		
in	.75	2.50
STOKESIA (Cornflower Aster) — Coarse		
foliage, summer bloom. cyanea-caerulea—Large blue flowers	.75	2.50
cyanea-alba—White form of above		2.50
TEUCRIUM—Evergreen shrubby plants of		
great value in rock gardens or for		
low hedges. R chamaedrys — Lavender blooms in		
summer, 10 in	.75	2.50
THERMOPSIS — Handsome spikes of		
lupine-like flowers.		
flowers in July, 3 to 5 ft. Very hand-		
some	.75	2.50
THALICTRUM (Meadow-rue) — Beautiful	***	
foliage plants for part shade.		
dioicum—Native. Greenish yellow flow-	20	0.00
ers, 20 in	.60	2.00
2 ft	.75	2.50
glaucum—Yellow flowers, 3 ft	.75	2.50
polygamum — Native. White flowers,	20	0.00
4 ft	.60	2.00
THYMUS— R citriodorus—Golden leaves, lemon		
scented	.75	2.50
R lanuginosum—Gray wooly foliage.		
Lavender	.75	2.50
R serpyllum—Green foliage and laven- der flowers	.60	2.00
R .serpyllum coccineus—Small foliage,	.00	2.00
bright red blooms	.75	2.50
R serpyllum alba—Light green foliage.		0.50
White	.75	2.50
TIARELLA (Foam Flower)—False miter- wort.	•	

	3	12
R cordifolia—Native. Feathery heads		
of white flowers, 12 in	.75	2.50
TRADESCANTA (Job's Tears)— R brevicaulis—Native. Rose-colored		
flowers, 6-8 in	.75	2.50
virginiana—Native. Grass-like leaves		2.00
lavender flowers, 2 ft	.60	2.00
TRILLIUM (Wake Robin) — Beautiful		
woodland plants. All native.		
catesbaei (Stylosum)—Bright pink flow-	40	0.00
ers fading rose	.60 .60	$\frac{2.00}{2.00}$
cernuum—White nodding flowers erectum—White to maroon	.60	2.00
grandiflorum—Handsome white flowers.	.60	2.00
hugeri—Purple fragrant flowers, marbled	.00	2.00
foliage	.75	2.50
luteum—Rare, yellow, fragrant blooms,		
mottled foliage	.75	2.50
sessile—Deep red flowers, foliage usually		
marbled	.60	2.00
simile—Large handsome white flowers		
with brown ovary; one of the showiest	.75	2.50
undulatum (Painted Lady)—White with	.10	2.00
red markings	.60	2.00
TRITOMA (Red Hot Poker)—Showy plants		
for borders.		
hybrids—Bright colors, 3-4 ft	.75	2.50
TROLLIUS (Globe Flower)—Part shade.		
europeous—Bright yellow globe-shaped	.75	2.50
flowers, 18 in	. (3	2.90
foliage. Blooms all summer.		
R saxifraga—Pink flowers, 6 in	.60	2.00
TYPHA (Cat-tail)—Bog plants.		
latifolia—Native. Dark brown seed		
spikes, 3 ft	.75	2.50
UVULARIA (Merry Bells)—Beautiful bell-		
shaped flowers for part shade and humus.		
grandiflora—Native. Bright yellow bells,		
2 ft	.60	2.00
perfoliata—Native. Cream bells, 12 in.	.60	2.00
R sessifolia—Native. Cream bells, 8		
in	.60	2.00
VALERIANA (Garden Heliotrope)—Good		
border plants. coccinea—Rose flowers in showy heads,		
18 in	.75	2.50
coccinea alba—White form of above, 18	•••	2.00
in	.75	2.50
officinalis — Old - fashioned heliotrope	в.	
Pink buds opening white, fragrant,		
4 ft	.75	2.50
VERONICA (Speedwell) — Very popular and satisfactory plants.		
R alpina—Gentian blue flowers, 6-8 in.	.75	2.50
The solution of the state of th	.,,	2.00

	3	12
amethystina—Deep blue, 15 in	.75	2.50
R erica—Spikes of pink	.75	2.50
R incana—Gray foliage, blue spikes, 8		
in	.60	2.00
longifolia subsessilis—Handsome blue	.00	2.00
_	75	0 50
spikes, 2 ft	.75	2.50
R repens—Pale blue, creeping, part		
shade	.75	2.50
rupestris—Deep blue, prostrate, 3 in	.60	2.00
R rupestris—Heavenly blue, 3 in	.75	2.50
R rupestris nana rosea—Dwarf, pink		
form of above, 2 in	.75	2.50
spicata—Spikes of blue all summer, 2	•••	
ft	.60	2.00
spicata alba—White form of above	.60	2.00
spicata rosea—Pink form of above	.75	2.50
R teucrium—Bright blue, 8-12 in	.75	2.50
VERBASCUM (Mullen)—		
English hybrids—Spikes of bright colors,		
mostly pinks	.75	2.50
olympicum—Showy plants covered with	•••	2.00
•		
bright yellow flowers for a long		0.50
period, 5 ft	.75	2.50
VINCA—minor. Evergreen ground cover		
for shade. Blue blooms	.60	2.00
VIOLA—Old favorites. All listed are		
native.		
R affinis—Pale blue. Rare	.75	2.50
R canadensis—White, lavender tints,		2.00
	00	0.00
2 in	.60	2.00
R hastata—Bright yellow, 6 in	.60	2.00
R lanceolata—White, purple veins	.75	2.50
R palmata—Early blue	.60	2.09
R papilionacea—Common blue	.60	2.00
R pedata—Bird's Foot. Blue	.60	2.00
R pidata bicolor—Blue and purple	.75	2.50
R primulifolia—White, purple veined	.60	2.00
• • • • • • • • • • • • • • • • • • • •	.00	2.00
R pubescens—Yellow, veined purple, 10	20	0.04
in	.60	2.00
R rostrata—Long spurred, blue	.60	2.00
R rotundifolia—Bright yellow	.60	2.00
R striata—Branched, white. Excellent		
garden subject	.75	2.50
R villosa—Blue, marbled foliage	.60	2.00
R walteri—Mats of evergreen foliage,	•••	
often 8 in. across. Small blue flowers.		
One of the most choice native violets.		
Rare. 35c each.		
VERBENA—Perfectly hardy here. Laven-		
der, pink or red	.60	2.00
XEROPHYLLUM-		
asphodeloides - Native. Grass-like		
·		
foliage. Spikes of creamy white	pag 900	0.50
flowers on 2 ft. stems	.75	2.50
YUCCA (Adam's Needle)—		
filamentosa—Native. Spikes of cream-		
colored flowers	.75	2.50

DECIDUOUS SHRUBS AND TREES (NATIVE)

AESCULUS pavia (Dwarf or Red Buckeye)-	
Seldom growing more than 4 ft. Clusters	
of orange-red flowers, followed by "Buck-	
eyes." Each\$	1.00
AMELANCHER canadensis (Service Berry)—	
Covered with white flowers in spring; fol-	
lowed by red berries. Each	.75
AMORPHA montana—Locust-like foliage, clus-	
ters of purple racemes in Spring. Each	.75
ARONIA arbutifolia—4-6 ft. Clusters of white	
fragrant flowers in spring. Handsome	
foliage in fall. Bright red berries. Each	.75
"niger—1-2 ft. Black fruit in fall. Each	.50
AZALEA— Company (Sweet Azelea) Flowers white	
aborescens (Sweet Azalea)—Flowers white,	77 E
tinged pink; fragrant. Each	.75
canledulacea (Flame Azalea) — From deep cream to orange-red. The showiest of all.	
Each	.75
canescens (Mountain Azalea)—Flowers usually	. 10
a bright pink; very fragrant. Each	1 00
nudiflora (Wild Honeysuckle)—Bright pink	1.00
flowers before the leaves appear. Each	1.00
vaseyi (Shell Pink Azalea)—The most beauti-	2.00
ful of all pink azaleas. Each	2.00
viscosa (Swamp Azalea)—Very fragrant white	
flowers. Damp positions. Each	1.00
BACCHARIS hallmifolia — Willow-like shrubs	
with shiny leaves. Downy white seed pods	
in fall. 4 to 8 ft. Each	.50
CALYCANTHUS carolina (Sweet Shrub)—A rare	
fragrance. Chocolate-colored flowers in	
summer. Each	.75
CERCIS canadensis (Judas Tree or Red Bud)—	
Covered in pink pea-shaped flowers before	•
leaves appear. Each	.75
CLETHRA acuminata (Sweet Pepper Bush)—	
Racemes of white fragrant flowers in sum-	
mer. Each	.75
COMPTONIA peregrina (Sweet Fern)—Shrubby	
fern-like plants. Foliage very fragrant	
when bruised. Each	.50
CORNUS florida (Flowering Dogwood)-Large	
white flowers in early spring. Each	.50
CYRILLA racemiflora (Leatherwood) — Bright	
green foliage, turning orange and scarlet	
in fall. White racemes 4-6 in. long. Each.	1.00
	1.00
Rough coral-colored fruit in fall. Each	50
	.50
FOTHERGILLA monticola — 8-10 ft. Large	
"balls" of fragrant white flowers before the	1.00
leaves appear. Each	1 (11)

parvifolia—1-2 ft. Handsome white flowers	
in early spring. Very rare. Each	1.50
FRANKLINIA altamaha — Handsome wax-like blossoms in summer. Very choice and rare.	
These plants are three feet or more tall	
and bloomed last summer. Each	5.00
GORDONIA—See Franklinia.	
HALESIA caroliniana (Silver Bells)—White bells	
one inch across in spring. Each	.75
" diptera—Corolla deeply lobed. Similar	
to above. Each	1.00
HAMAMELIS virginiana (Witch-hazel)—Yellow	
flowers in fall. Each	.75
HYDRANGEA aborescens—Deep green foliage.	
Each	.50
(Climbing)—See Decumaria barbara vines.	
radiata (Wild Hydrangea)—Silvery foliage, white blooms. Each	.50
quercifolia (Oak-leaved Hydrangea)—Large	.50
oak-like leaves. Panicles of white flowers.	
Each	.50
HYPERICUM (St. John's Wort)—Semi-evergreen	
shrubs of real merit.	
buckleyi—Dense shrub about 1 ft. Foliage	
turning scarlet in fall. Bright yellow	
flowers in spring. Rare. Each	1.00
densiflorum—4 ft. Dense clusters of bright yellow flowers in spring. Not common. Each	75
glomeratum—3 ft. Cymes of bright yellow	.10
flowers in late spring. Extremely rare	
Each	1.50
ILEX verticillata (Virginia Winterberry)—Bright	
red berries in winter. Each	.75
ITEA virginica (Virginia Willow)—Shrub grow-	
ing 2-3 ft. Terminal racemes of fragrant	
white flowers. Each	1.00
MAGNOLIA acuminata (Cucumber Tree)—Yel-	
low-green flowers in May. Rose-colored	ne
fruit in fall. Each fraseri (Ear-leaved Umbrella Tree)—Cream	.75
flowers, rose-colored fruit. Each	.75
MENZIESIA globularis—2-4 ft. Pedicles of	***
yellowish-red drooping flowers. Each	.75
MALUS glabrata—Our common crab-apple. Clus-	
ters of clear pink flowers in spring. Each	1.00
PAULOWNIA tomentosa (Catalpa or Empress	
Tree)—Large panicles of lavender flowers.	
Very showy and handsome. Each	1.00
PHILADELPHUS floribundus—Five inch racemes	
of white flowers 2 in. across. Fragrant.	1.00
Each " grandiflanus I arga white flawers with	1.00
" grandiflorus—Large white flowers with bright yellow stamens. Handsome. Each	1.00
" latifolius—5 to 10 large white flowers in	

ROBINA boyntoni (Pink Locust)—Racemes of
clear pink flowers. Stem nearly thornless.
Rare. Each 1.00
hispida (Pink Locust)—Bright pink flowers in
spring. Each
SAMBUCUS canadensis (American Elder)—
Flowers white, fruit purple. Each 1.00
pubens (Red-berried Elder)—Scarlet fruit 1.00
STEWARITIA pentagyna (Summer Dogwood)—
Large white flowers in July. These were
collected in the section which the purple
stamened ones came from. One cannot tell
whether they will be that type or not until
they bloom. Each
VIBURNUM acerifolium (Maple-leaf Viburnum)—
White flowers, black fruit. Each
·
· · · · · · · · · · · · · · · · · · ·
EVERGREEN SHRUBS AND TREES
(NATIVE)
CLINOPODIUM carolinianum—Small evergreen
shrubs, ideal for rock gardens, 12-18 in.
tall. Clusters of pink flowers in late sum-
mer. Fragrant foliage. Rare. Each\$1.00
CHAMAEDAPHNE calyculata (Leather - leaf
Shrub)—1-3 ft. Beautiful dark green
foliage on horizontal branches, small nod-
ding white flowers. Each 1.00
DECUMARIA barbara (Climbing Hydrangea)—
A vine reaching 20 ft. Clusters of white
blooms in spring; 4 in. pots. Each 1.00
DENDRIUM (Leiophyllum)—Handsome shrubs
for rock work. Covered with flowers in
spring.
hugeri—Evergreen, pink buds opening white, 12 in. Each
prostratum—Very low growing form. Flowers
pale pink. Each
HUDSONIA montana—One of our rarest and
most beautiful shrubs. 12 in Spiny
foliage of light green. Sheets of bright yel-
low flowers in spring. Very difficult.
Each 1.00
ILEX cassine—Handsome foliage, dull red fruit.
Each 1.50
" glabra (Ink Berry)—Shiny green foliage,
black fruit. Each
" opaca (American Holly)—Our Christmas
holly 1.00
" opaca xanthocarpa—Like above but with
yellow fruit. Each
vomitoria—Glaprous foliage, scarlet fruit.
Each
JUNIPERUS nana—Very dwarf prostrate ever-
green. Very unusual and beautiful. Each 1.50

KALMIA angustifolia (Sheep Laurel)—Crimson flowers. Each	.50
carolinia—Similar to above but much more pubescent when young. Flowers in purple	
cormbs. Each	.75
latifolia (Mountain Laurel) — Rose - colored flowers in abundance. Each	1.00
LEUCOTHOE acuminata—Extremely handsome,	
glistening green foliage with white flowers. Each	1.00
axillaris (Downy Leucothoe)—Dense racemes of white flowers, 5 ft. Each	1.00
catesbaei—Shiny dark green foliage turning bronze in fall. Fragrant white flowers in	
pendant racemes. Each	1.00
MYRICA carolinensis (Byberry)—2-6 ft. Gray fruit. Each	.75
" cerifera (Wax Myrtle)—Foliage larger than the preceding. Gray fruit	.75
" gale—Usually evergreen in this climate.	•••
Fragrant, katkins on end of branches. Red fruit	.75
OSMANTHUS americanus—Small tree. Fragrant	
white flowers, followed by deep purple fruit. Each	1.00
PACHYSTIMA canbyi—Excellent ground cover. Shade or sun. Very rare. Each	.50
PIERIS floribunda (Andromeda)—White flowered	
panicles at tips of branches. Each	1.50
nitida—2-4 ft. Flowers in axillary, racemes; white. Each	1.00
RHODODENDRON—	
carolinianum—Very early, white to pink	
blooms. Each	1.00
Each	1.50
maximum (Great Rhododendron)—Pink to white flowers in large clusters. Each	1.00
punctatum—Bright pink flowers; late; rare.	
Each	2.00
TSUGA canadensis (Canada Hemlock)—Hand some trees. Each	.75
caroliniana (Carolina Hemlock)—The hand- somest evergreen we have. Each	1.50
VACCINIUM crassifolium (Evergreen Huckle-	
berry)—Vine-like shrub with procumbent branches. Flowers, companulate, rose-	
red. Each	1.00
" nitidum—1-2 ft. Branched shrub. Flowers rose-red, fruit black. Each	.75
ZENOBIA cassinifolia—2-4 ft. Half-evergreen	
bush. Handsome white nodding flowers in clusters. Each	.75

VINES—NATIVE

BEGNONIA crucigera (Cross Vine)—Evergreen	
climber, orange-red flowers. Each\$.3	5
" radicans—Shrubby stems, large orange	
campanulate flowers. Each	5
CELASTRUS scandens (Bittersweet) — Bright	
orange berries. Used for winter bouquets.	
Each	0
CLEMATIS paniculatta—Sheets of white fra-	
grant blooms in summer. Each	5
" viorna (Leather Flower)—8-10 ft. One inch	
bell-shaped flowers of deep purple. Each3	5
COCCULUS carolinus—12 ft. Dark green foliage.	
Masses of glistening red berries in fall.	
Very beautiful. Said to be hardy as far	
north as N. Y. Each	0
GELSEMIUM sempervirens (Carolina Yellow	
Jessamine)—Climbing shrub with evergreen	
foliage. Large wax-like yellow fragrant	
flowers. Extremely beautiful. Excellent	
in conservatory. Each	0
" sempervirons fl. pl.—Double form of above.	
Each	5
DECUMARIA barbara (Climbing Hydrangea)—A	
vine reaching 20 ft. Evergreen foliage,	
clusters of fragrant white flowers in sum-	
mer. Very rare. 4 in. pots. Each 1.0	0



